



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/523,544

01/31/2005

Brian Davidson

915-011-002-1

7521

4955

7590

02/06/2009

WARE FRESSOLA VAN DER SLUYS & ADOLPHSON, LLP
BRADFORD GREEN, BUILDING 5
755 MAIN STREET, P O BOX 224
MONROE, CT 06468

EXAMINER

KARIKARI, KWASI

ART UNIT

PAPER NUMBER

2617

MAIL DATE

DELIVERY MODE

02/06/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/12/2008 has been entered.

Response to Arguments

2. Applicant's arguments, filed on 11/12/2008 with respect to claims 40-53, 64, 69-72 and 74-81 in the remarks, have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 69-72 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession

of the claimed invention. The claimed limitations “ a control means has a second operable mode in which **it does not** respond to the release of the releasable connector”, in claim 69; and “ second operable mode in which **it does not** respond to the release of the releasable connector” in claim 70, are not clearly described in the specification as originally filed and this constitute new matter. For examination purposes, the Examiner would interpret the rejected claimed limitations in the broadest scope of the Applicant’s invention. Appropriate correction is required.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 69-72 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The Applicant uses claimed limitations: a control means has a second operable mode in which **it is does not** respond to the release of the releasable connector”, in claim 69; and “ second operable mode in which it does not respond to the release of the releasable connector” in claim 70”. These limitations are not clearly presented in the Specification, thus, hampering one of ordinary skill in the art to clearly interpret the Applicant’s claimed language.

Claim Rejections - 35 USC § 103

Art Unit: 2617

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 40-45, 48-52, 64 and 77-80 are rejected under U.S.C. 103(a) as being unpatentable over Sasakura et al. (U.S 6,151,493), (hereinafter, Sasakura) in view of Briffett et al. (U.S 6,154,665), (hereinafter, Briffett).

Regarding claims 40, 48 and 77, Sasakura discloses a device/method (= call prohibition device includes signal transmission unit 10 and a canceling unit 20 of a cellphone 30, see col. 3, lines 44-58 and Fig. 1) comprising:

unauthorized separation detection means (= if the cellphone 30 together with the canceling unit 20 separates a predetermined distance from the transmission unit because the phone is stolen, the signal level detector drops below threshold, see col. 3, lines 44-59; and col. 9, lines 8-16) and

control means, having a first mode (= canceling unit 20 is on; and the canceling unit has to be kept on for it to receive signal from transmission unit 10, see col. 5, lines 30-49; and col. 8, lines 32-38, whereby the canceling unit 20 being "on", is been associated with the "first mode") effect at least partial disablement of the device (= cellphone 30 is disabled when separated for a predetermined distance, see col. 9, lines 7-

Art Unit: 2617

29). Sasakura also teaches the **connection** between the cellphone 30 and the transmission unit 10 in the owner's breast pocket (see col. 3, lines 51-58).

However, Sasakura fails specifically to teach, "a releasable connector, connecting the device to a person, is release from the connector"

Briffett, however teaches a release of a releasable connector connecting the device to a person (= connection between belt clip proximity unit 46 and the telephone proximity unit 16, see col. 4, lines 22-60; and Fig. 3-6).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66- col. 3, lines 5).

Regarding claims 41, 49 and 78, as recited in claims 40 and 48, **Sasakura** fails to teach that the releasable connector comprises a strap.

However, **Briffett** teaches that the releasable connector comprises a strap (= connection between belt clip proximity unit 46 and the telephone proximity unit 16, see col. 4, lines 22-60; and Fig. 3-6)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of

Art Unit: 2617

a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Regarding claims 42, 50 and 79 as recited in claims 40 and 48, **Sasakura** fails to teach that the releasable connector is released by severance.

However, **Briffett** teaches that the releasable connector is released by severance. (= rapid moment, see col. 6, lines 10-17)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Regarding claim 43, as recited in claim 40, **Sasakura** fails to teach the interruption of a closed conductive path via the releasable connector.

However, **Briffett** teaches the interruption of a closed conductive path via the releasable connector (= no electric contact, see col. 4, lines 27-39)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Art Unit: 2617

Regarding claim 44, as recited in claim 40, **Sasakura** further teaches that the device comprises a cellular radio transceiver (see items 31a and 33d in Fig. 1).

Regarding claim 45, as recited in claim 44, **Sasakura** further teaches that the control means is arranged to effect at least partial disablement of the device by controlling the cellular radio transceiver to transmit a disabling message instructing the at least partial disablement of the device (=cell phone 30 is disabled when separated for a predetermined distance, see col. 9, lines 7-29).

Regarding claim 52, as recited in claim 48, **Sasakura** further teaches radio transmitter (= items 31a and 33d in the cell phone 30, see Fig. 1) wherein the controller is arranged to control the radio transmitter to send a message (= cell phone 30 is disabled when separated for a predetermined distance, see col. 9, lines 7-29); but fails to teach a releasable connector.

However, **Briffett** teaches a release of a releasable connector (= connection between belt clip proximity unit 46 and the telephone proximity unit 16, see col. 4, lines 22-60; and Fig. 3-6)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving an arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Art Unit: 2617

Regarding claim 64, as recited in claim 48, **Sasakura** fails to teach “releasable connector”.

However, **Briffett** teaches a release of a releasable connector (= connection between belt clip proximity unit 46 and the telephone proximity unit 16, see col. 4, lines 22-60; and Fig. 3-6)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person’s belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Regarding claim 51, as recited in claim 64, **Sasakura** fails to teach the interruption of a closed conductive path via the releasable connector.

However, **Briffett** teaches a release of a releasable connector (= connection between belt clip proximity unit 46 and the telephone proximity unit 16, see col. 4, lines 22-60; and Fig. 3-6)

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person’s belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Art Unit: 2617

Regarding claim 74, as recited in claim 48, **Sasakura** fails to teach the releasable connector is a neck strap.

However, **Briffett** teaches the releasable connector is a neck strap (see col. 2, line 66- col. 3, lines 5, col. 4, lines 22-60; and Fig. 3-6).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66- col. 3, lines 5).

Regarding claim 75, as recited in claims 48, **Sasakura** fails to teach the releasable connector is a wrist strap.

However, **Briffett** teaches that the releasable connector is a wrist strap (see col. 2, line 66- col. 3, lines 5, col. 4, lines 22-60; and Fig. 3-6).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person's belt for convenient transportation (see **Briffett**; col. 2, line 66- col. 3, lines 5).

Art Unit: 2617

Regarding claim 76, as recited in claim 48, **Sasakura** fails to teach that the releasable connector has an inherent weakness, such that it is arranged to break when the device is grabbed.

However, **Briffett** teaches that the releasable connector has an inherent weakness, such that it is arranged to break when the device is grabbed (= when the telephone is “removed from” the belt clip, see col. 4, lines 23-39).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Briffett with the system of Sasakura for the benefit of achieving a arrangement that includes a belt clip assembly which enables a physical connection of a telephone to a person’s belt for convenient transportation (see **Briffett**; col. 2, line 66-col. 3, lines 5).

Regarding claim 80, as recited in claim 77, **Sasakura** further teaches , wherein at least partial disablement of the device is effected by transmitting a radio frequency disabling message from the device, the radio frequency disabling message instructing the at least partial disablement of the device (=cell phone 30 is disables when separated for a predetermined distance, see col. 9, lines 7-29).

6. **Claims 46, 47, 53 and 81 are rejected under U.S.C. 103(a) as being unpatentable over Sasakura in view of Briffett and further in view of Rohrbach (U.S. 5,898,783), (hereinafter, Rohrbach).**

Regarding claims 46 and 53, as recited in claims 40 and 48, **Sasakura** teaches radio transmitter (items 31a and 33d in the cell phone 30, see Fig. 1)

However, the combination of **Sasakura and Briffett** specifically fails to mention a cellular communications network and the control means is arranged to effect at least partial disablement of the device by sending a disabling message “to the network” instructing the network to disable normal operation of the telephone in the network.

Rohrbach further teaches that the data communication circuitry 200 transmits a code to the communication network via the mobile station 100 and in response to receiving a disable command, the disabling circuitry 220 is operative to prevent operation of the SIM card in the network (see col. 4, lines 14-25, col. 5, lines 13-31 and Figs. 2 & 3; i.e., the mobile phone operates to prevent the use of the sim card after obtain a disable command which is known to both the phone and the communication system that grants operational access to the phone).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Rohrbach into the system of Sasakura and Briffett for the benefit of achieving a system that provides a way of remotely disabling SIMs and smartcard in the telecommunication network.

Regarding claim 47, as recited in claim 46, the combination of **Sasakura and Briffett** fails to teach that the mobile telephone comprises a handset and a “replaceable card”, which enables the handset to operate as a telephone in the network, and the network is responsive to the disabling message sent by the mobile telephone to disable the card

Art Unit: 2617

from normal use in the network and/or to disable the handset from normal use in the network.

Rohrbach further teaches that the SIM card 110 or smart card cooperates with a mobile phone 100 to effect communication with the telecommunication network (see col. 3, lines 61-66).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Rohrbach into the system of Sasakura and Briffett for the benefit of achieving a system that provides a way of remotely disabling SIMs and smartcard in the telecommunication network.

Regarding claim 81, as recited in claim 80, **Sasakura** teaches radio transmitter (items 31a and 33d in the cell phone 30, see Fig. 1)

However, the combination of **Sasakura and Briffett** specifically fails to mention wherein the radio frequency disabling message is sent to a network instructing the network to disable normal operation of the device in the network.

Rohrbach further teaches that the data communication circuitry 200 transmits a code to the communication network via the mobile station 100 and in response to receiving a disable command, the disabling circuitry 220 is operative to prevent operation of the SIM card in the network (see col. 4, lines 14-25, col. 5, lines 13-31 and Figs. 2 & 3; i.e., the mobile phone operates to prevent the use of the sim card after obtain a disable command which is known to both the phone and the communication system that grants operational access to the phone).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Rohrbach into the system of Sasakura and Briffett for the benefit of achieving a system that provides a way of remotely disabling SIMs and smartcard in the telecommunication network.

7. **Claims 69-72 are rejected under U.S.C. 103(a) as being unpatentable over Sasakura in view of Briffett and further in view of Namekawa (U.S. 4,809,316), (hereinafter, Namekawa).**

Regarding claim 69, as recited in claim 40, the combination of **Sarakura and Briffett** fails to disclose the device, wherein the **control means has a second, operable, mode** in which it does not respond to the release of the releasable connector.

However **Namekawa** teaches a controller that checks the on/off state of a sensor (see col. 3, line 46- col. 5, line 23, and col. 5, line 12-43, whereby the second mode is being associated with the power off state).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Namekawa into the system of Sasakura and Briffett for the benefit of achieving a system that include power-on at a predetermined time, whereby power consumption is reduced in the system (see col. 1, lines 55-62).

Art Unit: 2617

Regarding claim 70, as recited in claim 48, the combination of **Sarakura and Briffett** fails to disclose the device, wherein the **control means has a second, operable, mode** in which it does not respond to the release of the releasable connector.

However **Namekawa** teaches a controller that checks the on/off state of a sensor (see col. 3, line 46- col. 5, line 23, and col. 5, line 12-43, whereby the second mode is being associated with the power off state).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Namekawa into the system of Sasakura and Briffett for the benefit of achieving a system that include power-on at a predetermined time, whereby power consumption is reduced in the system (see col. 1, lines 55-62).

Regarding claim 71, as recited in claim 69, the combination of **Sarakura and Briffett** fails to disclose the device, wherein the first and second modes are user selectable.

However **Namekawa** teaches wherein the first and second modes are user selectable (see col. 4, lines 31-66, col. 3, line 46- col. 5, line 23, and col. 5, line 12-43).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Namekawa into the system of Sasakura and Briffett for the benefit of achieving a system that include power-on at a predetermined time, whereby power consumption is reduced in the system (see col. 1, lines 55-62).

Regarding claim 72, as recited in claim 70, the combination of **Sarakura and Briffett** fails to disclose the device, wherein the first and second modes are user selectable.

However **Namekawa** teaches wherein the first and second modes are user selectable (see col. 4, lines 31-66, col. 3, line 46- col. 5, line 23, and col. 5, line 12-43).

It would therefore have been obvious to one of the ordinary skill in the art to combine the teaching of Namekawa into the system of Sasakura and Briffett for the benefit of achieving a system that include power-on at a predetermined time, whereby power consumption is reduced in the system (see col. 1, lines 55-62).

CONCLUSION

Examiner's Note: Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner. SEE MPEP 2141.02 [R-5] VI. PRIOR ART MUST BE CONSIDERED IN ITS ENTIRETY, INCLUDING DISCLOSURES THAT TEACH AWAY FROM THE CLAIMS: A prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention. W.L. Gore & Associates, Inc. v. Garlock, Inc., 721 F.2d 1540, 220 USPQ 303 (Fed. Cir. 1983), cert. denied, 469 U.S. 851 (1984) In re Fulton, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004). >See also MPEP §2123.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kwasi Karikari whose telephone number is 571-272-8566. The examiner can normally be reached on M-T (9am - 7pm). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Appiah can be reached on 571-272-7904. The fax phone number for the organization where

Art Unit: 2617

this application or proceeding is assigned is 571-273-8566. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Kwasi Karikari/
Patent Examiner: Art Unit 2617.

/Charles N. Appiah/
Supervisory Patent Examiner, Art Unit 2617